



test topic 3 - compliance





topic 3 - compliance



Nan	ne			
Organisation				
Email Address				
Q1.	What two scored datasets are recorded as part of an asbestos risk assessment?			
Q2.	What additional documents can be stored against an Asbestos Risk Assessment	?		
Q3.	Where can users see summary information about Asbestos?			
а	Stock Profile page			
b	Property Details page			
С	Asbestos Module			
d	All of the above			
Q4.	What is the correct command for adding new data using Import/Export sheets?			
а	Add			
b	Insert			
С	Update			







Q5.	What is the correct command for editing data using the Import/Export sheets?	
а	Edit	
b	Add	
С	Update	
Q6.	What is the correct command to use on the import/export sheets if you do not want Lifespan to update the information?	
а	Update	
b	Blank	
С	Get	
d	Ignore	
Q7.	In what two locations can Action Plan/Remedial works items be viewed?	
Q8.	Where can Action Plan/Remedial works items be marked as completed from?	
Q9.	How many stages are there to adding Appliance Servicing data?	
а	1	
b	2	
С	3	
d	4	







Q10	. Where are FRA background attributes create and added using the User Interface (UI)?
а	Property information attributes
b	Fire
С	Planned
Q11.	Where can I view, the number of outstanding assessments, the number of overdue assessment and the number of action plan task/remedial works on one page?
Q12	. How should properties that are built after 2002 be updated to record that they do not need an Asbestos assessment?
Q13	. Which Property Information attribute should be updated to adjust the frequency at which Fire Risk Assessments are undertaken?
Q14	. Where should Water Samples test be recorded?
ansv very	e completed please return this to leanne.rigby-hughes@property-tectonics.co.uk where we will review your vers and reply with our feedback. Now you have completed the online training session and taken the test, we would much appreciate it if you could complete our online feedback request form by clicking the button below.

LIFESPAN TRAINING FEEDBACK



